

2013 Western Maryland Pasture Based Meat Goat Performance Test

#	ID	ID	ID	Consigner	ST	Final Weight	SC		#	Hoof		Hoof		Frame USDA		Comments
	Test	Scrapie	Other				SC	Ratio	Teats	Bite	Growth	Color	Structure	Score	Grade	
1	303	0227	none	Adams, Craig	IL	65.3	26.0	98%	2	N	0	Wht	Good	L	3	
2	304	0228	none	Adams, Craig	IL	61.4	25.0	94%	2	N	1	Wht	Avg	M	2	Low 2
3	305	0230	none	Adams, Craig	IL	55.1	25.0	104%	2	N	1	Blk	Good	M	3	
4	310	0229	none	Adams, Craig	IL	56.8	26.0	108%	2	N	0	Blk	Avg	M	3	2 pin teats, pockets in hooves
5	306	038	none	Adams, David	IL	57.0	27.5	114%	2	N	1	Blk	Good	M	2	Low 2
6	307	036	none	Adams, David	IL	45.2	16.0	77%	2	N	1	Blk	Avg	S	3	
7	308	035	none	Adams, David	IL	34.2	19.0	104%	2	N	1	Blk	Avg	M	U	unthrifty
8	309	039	none	Adams, David	IL	46.3	25.0	120%	2	N	1	Wht	Avg	M	3	
9	386	037	none	Adams, David	IL	44.3	21.0	101%	2	N	1	Blk	*	S	2	slightly cowhocked
10	316	0040	none	Agnew	MD	57.9	25.0	104%	2	N	1	Wht	Good	S	2	small pockets in hooves
11	311	VA0735	624	Barnes	KY	47.9	23.0	110%	2	N	2	Wht	Avg	S	3	
12	312	0147	1352	Barnes	KY	58.2	28.5	118%	2	N	1	Wht	Good	L	3	
13	313	0148	1336	Barnes	KY	48.3	24.0	115%	2	N	0	Wht	Avg	M	3	
14	368	VA0737	626	Barnes	KY	54.5	23.0	95%	2	N	1	Wht	Avg	M	3	
15	317	113	C17	Brown	NC	49.4	23.0	110%	2	N	1	Wht	Good	M	3	
16	319	110	C25	Brown	NC	50.5	22.0	91%	2	N	1	Wht	Avg	S	2	Low 2
17	321	715	none	Burke	DE	42.1	24.0	115%	2	N	2	Wht	Avg	M	3	
18	322	741	none	Burke	DE	42.0	17.5	84%	2	N	1	Wht	Avg	S	3	
19	323	725	none	Burke	DE	50.2	22.0	91%	2	N	2	Wht	Avg	M	3	
20	324	724	none	Burke	DE	58.4	22.0	91%	2	N	1	Wht	*	M	3	slightly cowhocked
21	388	720	none	Burke	DE	55.2	24.0	99%	2	N	1	Wht	Good	M	2	Low 2
22	325	0112	C16	Dennison	KY	44.4	20.0	96%	2	N	1	Wht	*	S	3	slightly cowhocked
23	326	0117	C12	Dennison	KY	46.9	21.0	101%	2	N	2	Wht	Avg	M	3	
24	327	0116	C23	Dennison	KY	31.7	17.0	93%	2	N	1	Wht	Avg	S	3	
25	328	0120	C32	Dennison	KY	43.0	22.0	106%	2	N	1	Wht	Avg	S	3	
26	329	0115	C18	Dennison	KY	45.1	18.0	86%	2	N	2	Wht	Avg	S	3	
27	301	221	none	Loos	IL	43.5	20.0	96%	2	N	1	Blk	Avg	S	3	
28	332	0039	none	Majancsik	KY	34.6	18.0	99%	2	N	0	Wht	*	S	U	cowhocked, unthrifty
29	333	0093	none	Majancsik	KY	41.7	21.0	101%	2	N	2	Wht	Avg	S	3	
30	334	0095	none	Majancsik	KY	37.1	21.5	118%	2	N	2	Wht	Avg	S	3	large pockets front hooves
31	335	0087	none	Majancsik	KY	43.2	23.0	110%	2	N	1	Wht	Avg	S	3	
32	337	027	C27	Mikell	VA	57.1	22.0	91%	2	N	2	Wht	Avg	M	3	pockets in hooves

#	ID	ID	ID	Consigner	ST	Final Weight	SC	#	Hoof	Hoof	Frame USDA			Comments		
	Test	Scrapie	Other				SC	Ratio	Teats	Bite	Growth	Color	Structure		Score	Grade
33	338	026	C26	Mikell	VA	52.1	21.5	89%	2	N	2	Wht	Avg	M	3	
34	355	0363	none	Murphy, Hilary	NJ	50.1	24.0	99%	2	N	1	Wht	Avg	S	3	
35	356	0345	none	Murphy, Hilary	NJ	47.7	15.0	72%	2	N	1	Wht	Avg	S	3	
36	357	0346	none	Murphy, Hilary	NJ	49.1	22.0	106%	2	N	2	Wht	Avg	S	3	
37	358	0359	none	Murphy, Hilary	NJ	43.1	14.0	67%	2	N	2	Wht	*	S	3	cowhocked
38	339	0310	none	Murphy, PJ	NJ	44.8	20.0	96%	2	N	1	Wht	Avg	S	3	
39	340	0340	none	Murphy, PJ	NJ	42.1	19.0	91%	3	N	2	Wht	Avg	S	3	1 double teat, 1 normal
40	341	0341	none	Murphy, PJ	NJ	42.1	22.0	106%	2	N	1	Wht	Avg	S	3	
41	342	0371	none	Murphy, PJ	NJ	56.1	26.0	108%	2	N	1	Wht	Avg	M	3	
42	343	0344	none	Murphy, PJ	NJ	56.6	26.0	108%	2	N	1	Blk	Avg	M	3	
43	344	1327	none	Nelson	MD	40.4	18.0	86%	2	N	1	Wht	Avg	S	U	unthrifty
44	346	1308	none	Nelson	MD	44.7	23.0	110%	2	N	1	Wht	Avg	S	3	
45	347	1313	none	Nelson	MD	38.4	20.0	110%	2	N	1	Wht	Avg	S	3	
46	349	1303	none	Peters	NC	38.0	20.0	110%	2	N	2	Wht	Avg	S	3	
47	350	1301	none	Peters	NC	52.0	24.0	99%	2	N	1	Wht	Avg	S	3	
48	351	0987	none	Pinneo	KS	62.7	26.0	98%	2	N	1	Wht	Avg	M	3	
49	352	1101	none	Pinneo	KS	57.1	23.0	95%	2	N	1	Wht	Avg	M	3	
50	353	1065	none	Pinneo	KS	49.7	23.0	109%	2	N	2	Wht	Avg	M	3	abnormal hoof growth
51	354	1035	none	Pinneo	KS	48.5	26.0	123%	2	N	1	Wht	Avg	S	3	
52	359	033	none	Richhart	IN	47.0	26.0	125%	2	N	2	Wht	Avg	S	3	
53	360	031	none	Richhart	IN	34.9	14.0	77%	2	N	2	Wht	*	S	U	cowhocked, unthrifty
54	361	032	none	Richhart	IN	42.1	20.0	96%	2	N	1	Wht	Avg	S	3	small pockets in hooves
55	362	0736	B625	Smith	VA	61.7	25.0	94%	2	N	2	Wht	Good	M	2	Low 2
56	363	0734	Y508	Smith	VA	54.1	23.0	95%	2	N	2	Wht	Avg	M	2	Low 2
57	367	0733	Y507	Smith	VA	42.3	20.0	96%	2	N	1	Wht	Avg	S	3	
58	370	0010	1046	Tiralla	MD	32.9	14.0	77%	3	N	1	Wht	Avg	S	3	
59	371	0011	1047	Tiralla	MD	36.9	20.5	113%	2	N	0	Blk	Avg	S	3	pockets in hooves
60	372	0012	1055	Tiralla	MD	43.6	18.0	86%	2	N	0	Blk	Avg	S	2	Low 2
61	373	15712	020	Weber	IL	53.6	28.5	118%	2	N	1	Blk	Avg	M	2	Low 2
62	374	15714	029	Weber	IL	64.2	27.0	102%	2	N	1	Wht	Avg	M	2	Low 2
63	375	15711	017	Weber	IL	63.1	26.0	98%	2	N	1	Wht	Avg	L	3	
64	376	15713	026	Weber	IL	73.4	28.0	106%	2	N	2	Wht	V. Good	L	2	
65	377	0013	C312	Wilborn	AL	53.3	19.0	79%	2	N	1	Blk	Avg	M	3	pockets in hooves

#	ID Test	ID Scrapie	ID Other	Consigner	ST	Final Weight	SC SC	# Ratio	# Teats	Hoof Bite	Hoof Growth	Hoof Color	Structure	Frame Score	USDA Grade	Comments
66	378	0012	C122	Wilborn	AL	63.2	27.0	102%	2	N	1	Wht	Good	L	3	nice leg set
67	381	0071	none	Zink	IN	75.5	28.0	106%	4	N	0	Wht	Good	L	3	teats are correct
68	382	0072	none	Zink	IN	66.9	26.5	100%	2	N	1	Blk	Good	L	2	Low 2
69	383	0090	none	Zink	IN	68.9	26.0	98%	2	N	1	Wht	Avg	L	3	
70	384	0086	none	Zink	IN	65.4	27.0	102%	*	N	1	Blk	Avg	L	3	fish teats
71	385	0073	none	Zink	IN	57.3	25.0	104%	2	N	2	Blk	Avg	L	3	
				AVERAGE		50.2	22.4	100%			1.2				2.81	
				STDEV		9.9	3.7				0.6				0.4	
				MEDIAN		49.1	23.0				1.0				3.0	
				MAX		75.5	28.5	125%			2.0				3.0	
				MIN		31.7	14.0	67%			0.0				U	